
Computer Science 1000: Part #7

Computer Databases

STORED DATA: AN OVERVIEW RELATIONAL DATABASES BIG DATA AND DATA MINING DATA PRIVACY


Stored Data: An Overview The Computer Memory Cost Implosion



Year

Stored Data: An Overview (Cont'd) The Stored Data Explosion





 $(ZB (Zettabyte) = 10^{21} (sextillion) bytes)$

Stored Data: An Overview (Cont'd) The Stored Data Explosion

$\mathsf{MEMORY} \neq \mathsf{DATA}$

- Raw bytes require both context and accessibility to become data.
- Data must be accessible and usable, but not *too* accessible and usable (e.g., the Cambridge Analytica scandal).
- Focus first on accessibility and usability and then on privacy.

Relational Databases

• A database management system (DBMS) imposes an organization on information stored in memory, i.e.,

Bytes are combined to form fields Fields are combined to form records Records are combined to form files Files are combined to form databases

A DBMS also incorporates operations by which data can be accessed and manipulated.

 Each DBMS is based on an abstract database model. We will here consider the most popular of these models, the Relational Model proposed by E. F. Codd at IBM in 1970.




Figure 14.3 Data Organization Hierarchy




Figure 14.4 Records and Fields in a Single File.

- In Codd's Relational Model, each file is represented as a table, which encodes information about a particular **entity**, e.g., employees, insurance plans purchased by employees.
- A row in a table encodes information about a particular instance of an entity, e.g., an employee's ID number, name, birthdate, pay rate per hour, and number of hours worked, and is called a **tuple**.
- A column in a table encodes a particular piece of information about an instance of an entity, e.g., employee last name, and is called an **attribute**.

ID	LASTNAME	FIRSTNAME	BIRTHDATE	PAYRATE	HOURSWORKED
149	Takasano	Frederick	5/23/1966	\$12.35	250

Figure 14.5 One Record in the Rugs-For-You Employees File

<u>ID</u>	LastName	FirstName	BirthDate	PayRate	HoursWorked
116	Kay	Janet	3/29/1976	\$16.60	94
149	Takasano	Frederick	5/23/1986	\$19.35	250
171	Kay	John	11/17/1974	\$17.80	245
165	Honou	Morris	6/9/1993	\$6.70	53
123	Perreira	Francine	8/15/1989	\$8.50	185

A **primary key** is an attribute or combination of attributes that uniquely identifies a tuple, e.g., employee ID number in the Employees table, employee ID number and plan type in the InsurancePolicies table (indicated by underlining)

	InsurancePo	licies	
EmployeelD) <u>PlanType</u>	DateIssued	
171	82	10/18/1994	
171	C1	6/21/2002	
149	B2	8/16/2008	
149	A1	5/23/2006	
149	C2	12/18/2011	

InsurancePolicies table for Rugs-For-You

Information about an instance of an entity can be split across multiple tables using **foreign keys**, e.g., employee ID number in the Employees and InsurancePolicies tables. This reduces the amount of redundant information that is stored.

Select information from a single table stored in a relational DBMS using the **Structured Query Language (SQL)**, e.g.,

SELECT LastName, PayRate FROM Employee WHERE LastName = "Perreira"



LastName	PayRate
Perreira	\$8.50

SELECT * FROM Employee ORDER BY ID

BirthDate ID LastName FirstName PayRate HoursWorked \$16.60 116 Kay 3/29/1976 94 Janet 123 Perreira Francine 8/15/1989 \$8.50 185 149 Takasano Frederick 5/23/1986 \$19.35 250 \$6.70 53 165 Honou Morris 6/9/1993 171 Kay John 11/17/1974 \$17.80 245

SELECT * FROM Employee WHERE PayRate > 15.00

ID	LastName	FirstName	BirthDate	PayRate	HoursWorked
116	Kay	Janet	3/29/1976	\$16.60	94
149	Takasano	Frederick	5/23/1986	\$19.35	250
171	Kay	John	11/17/1974	\$17.80	245

Using foreign keys, can manipulate information stored across several tables, e.g.,

SELECT LastName, FirstName, PlanType FROM Employees, InsurancePolicies WHERE Lastname = "Takasano" AND FirstName = "Frederick" AND ID = EmployeeID



LastName	FirstName	PlanType
Takasano	Frederick	B2
Takasano	Frederick	A1
Takasano	Frederick	C2

Big Data and Data Mining: Overview


- Classical data analysis involves finding the right data, formatting that data in an appropriate database, and writing queries to answer specific questions, e.g., relational databases and SQL queries.
- Finding the right data and formatting it for examination is a problem in itself with the advent of truly massive datasets (**Big Data**), e.g., detailed multi-media health data for large populations, social media and online retailer datasets (Facebook, Twitter, Amazon).
- Modern data analysis (data science / data analytics) also incorporates advanced statistics, visualization, and pattern-finding capabilities (data mining); can not only answer specific questions but can also find (hopefully useful) trends and patterns in data ("pattern fishing").

Big Data and Data Mining: An Example

ID	Employed	Gender	Married	Risk
1	Y	М	Y	Low
2	Y	F	Ν	Low
3	N	М	Ν	High
4	Y	М	Y	Low
5	Y	F	Y	Low
6	N	F	Ν	High
7	Y	М	Ν	High
8	N	М	Ν	High
9	Y	F	Ν	Low
10	Y	М	Y	Low

Existing data for bank loan risk (Figure 14.9, Textbook)

Big Data and Data Mining: An Example (Cont'd)



Decision tree for bank loan risk (Figure 14.10, Textbook)

Data Privacy: Overview

- Big Data and data mining allow the extraction of patterns that are of public (e.g., detection and tracking of disease outbreaks, evaluation of treatment outcomes) and commercial (e.g., targeted advertising, product recommendations) use.
- Need to balance access to data with personal privacy.
- To service commercial needs, **data brokers** have emerged which accumulate and integrate publicly-available and commercial datasets, with disconcerting results, e.g., Latanya Sweeney medical records reconstruction.
- Personal rights often obscure wrt original collection of data, and become moreso with secondary aggregation ("You aren't the customer, you're the product").

Data Privacy: The Evolution of Stored Data

local	\Rightarrow
use-specific	\Rightarrow
short-term	\Rightarrow
user-accessible	\Rightarrow
bulky	\Rightarrow
one copy	\Rightarrow
hard to copy	\Rightarrow
authority-verified	\Rightarrow

networked / distributed detailed / overall (very) long-term anyone*-accessible (very) portable (very) many copies (very) easy to copy anyone*-verified

Data Privacy: Joys and Perils of Stored Data

Joys	Characteristics	Perils
		Store false / misleading easily
Store anything easily	Storage easy	Find false / misleading easily
Find anything easily	Store anything	Integrate / reconstruct easy
Spread anything easily	Store anytime	Steal anything easily
Everything remembered	Store forever	Spread impossible to stop
Personal customization		Nothing forgotten
		Personal commercialization

In addition to the use of certain technologies (e.g., fake detection, *k*-anonymization), appropriate governance and laws are critical in mitigating the perils above; so is responsible behaviour by individual people.

Data Privacy: k-anonymity

I

"Blur" data-identifying fields such that each original entity is indistinguishable from at least (k-1) others for $k \ge 2$, e.g.,

	QI ₁	Ql ₂	S ₁
ID	Age	Zip	Disease
1	5	15	Flu
2	15	25	Fever
3	28	28	Diarrhea
4	25	15	Fever
5	22	28	Flu
6	32	35	Fever
7	38	32	Flu
8	35	25	Diarrhea

(a) Sensitive table

	Ql₁	QI ₂	S 1
D	Age	Zip	Disease
1	0-20	10-30	Flu
2	0-20	10-30	Fever
3	20-30	10-30	Diarrhea
4	20-30	10-30	Fever
5	20-30	10-30	Flu
6	30-40	20-40	Fever
7	30-40	20-40	Flu
8	30-40	20-40	Diarrhea

(b) 2-anonymous Table

Surviving and Thriving with Big Data

- Limit personal (esp. commercial) exposure online
 - Know privacy settings and use appropriately
- Learn crap detection and online research skills (Rheingold)
- Be aware of what's going on privacy-wise both technologically and commercially

"Don't Panic" – *The Hitchhiker's Guide to the Galaxy* "Let's be careful out there" – *Hill Street Blues*

... And If You Liked This ...

- MUN Computer Science courses on this area:
 - COMP 2007: Introduction to Data Management
 - COMP 3401: Introduction to Data Mining
 - COMP 4754: Database Systems
- MUN Computer Science professors teaching courses / doing research in in this area:
 - Mark Hatcher
 - Lourdes Pena-Castillo
 - Jian Tang