

CS 2742 (Logic in Computer Science)

Lecture 7

Antonina Kolokolova

September 28, 2009

3 Resolution.

Remember the resolution rule we introduced in the last lecture:

Definition 1 (Resolution rule). : Given two clauses of the form $C \vee x$ and $(D \vee \neg x)$, where C and D are (possibly empty) disjunction of variables, can derive a (possibly empty) clause $(C \vee D)$.


That is,

$$(C \vee x) \wedge (D \vee \neg x) \rightarrow (C \vee D)$$

where $C = (l_1 \vee \dots \vee l_k)$ and $D = (l'_1 \dots l'_{k'})$ for some literals. If there is a repeated literal, only write it once.

The goal is to derive a contradiction (that is, an empty clause obtained by resolving (x) with $(\neg x)$ for some variable x).

Example 1. Let's look at another example. Now there are only two variables, and the four clauses contain all possible combinations (so the formula is a contradiction) $(x \vee y) \wedge (\neg x \vee y) \wedge (x \vee \neg y) \wedge (\neg x \vee \neg y)$. You can easily see that any truth assignment to x and y falsifies one clause.



Resolution proof system is very powerful in that given any formula in CNF form it can check whether it is a contradiction. However, resolution is not very efficient. Although it is much more efficient in practice than using truth tables (for example, the $(x_1 \wedge (x_1 \rightarrow x_2) \wedge (x_2 \rightarrow x_3) \wedge \dots \wedge (x_{n_1} \rightarrow x_n) \wedge \neg x_n$ can be done by a resolution proof system in n steps, whereas the truth table would have 2^n lines), there are examples of problems on which resolution proof system has to explore all possibilities, and so is similar to the truth table method in efficiency. The most prominent such example is the PigeonHole Principle, which says that it is impossible to put $n + 1$ element (pigeon) into n places (holes) without two elements getting into the same place. You needed to use this principle, this kind of counting reasoning to solve the last lecture puzzle.

The resolution is still the most popular method of programming automated proof systems because of its clarity and simplicity. However, when working with or programming such a system keep in mind that resolution “can’t count”.

At this point a natural question is: how can we use resolution to deal with general propositional formulas, that is, ones not in CNF form. Of course, we could create a truth table and write a corresponding CNF formula, but if we have a truth table then we can just test whether a formula is a contradiction by checking if all entries in the last column are Fs. Another idea is to manipulate the formula using logic identities until it becomes a CNF. This is possible, but unfortunately can result in a very large (size comparable to the truth table) formula, especially when converting a DNF into a CNF (think of converting a formula $(x_1 \wedge y_1) \vee (x_2 \wedge y_2) \dots (x_n \wedge y_n)$ into a CNF: you will end up with 2^n clauses on n variables each, one for every combination of Xs and Ys).

A different idea is to add new variables in such a way that the new formula is a contradiction if and only if the original one was a contradiction. Here is one way of doing it.

- 1) Assign a new variable to every binary connector ($\wedge, \vee, \rightarrow, \leftrightarrow$) in the formula (starting from the outermost connector, operation to be done last). For example, if the original formula is $((x_1 \rightarrow x_2) \vee \neg(\neg x_1 \leftrightarrow x_3) \vee x_4) \wedge \neg x_2$, then assign variable y_1 to outermost \wedge connector, then the variable y_2 to the \vee before x_4 and so on (think of writing a parse tree of the formula and assigning y_1 to the top, y_2 and (possibly) y_3 to its children, etc).
- 2) Next, write the conditions describing the new variables: for example, if our y_6 was assigned to \leftrightarrow in $\neg x_1 \leftrightarrow x_3$, then we need the condition $(y_6 \leftrightarrow (\neg x_1 \leftrightarrow x_3))$ which says that y_6 is true if and only if the expression $(\neg x_1 \leftrightarrow x_3)$ is true. The continue writing similar expressions for other y_i s, using other y_i variables to denote subformulas (for example, the top \wedge denoted by y_1 gets $(y_1 \leftrightarrow (y_2 \wedge \neg x_2))$). Finally, add clause (y_1) to the formula which will mean that the whole original formula is true.
- 3) We are almost done: our formula is a conjunction of small parts; most importantly, each small part $(y_i \leftrightarrow (\dots))$ only involves three variables (for example, y_1, y_2 and x_2 in

definition of y_1 , or $y_2 \leftrightarrow (y_3 \vee \neg y_4)$ for y_3). Three variables give us a small enough truth table (8 lines), that we can write a CNF for this small table with just 7 or less clauses, each with at most 3 variables.. So the size of the new formula becomes approximately the number of logical connectives (times a constant).

- 4) The resulting formula is a CNF, and although it has many more variables, it is a contradiction if and only if the original formula was.